

# GSPH-DZ30 小型自动膏药机


GSPH-DZ30 Small automatic plaster machine

## 概述:

GSPH-DZ30 小型自动膏药机由黑膏药自动滴注机和黑膏药成型机组成，该设备用于生产各类黑膏药（铅丹膏药）、松香膏药、热熔胶膏药，可用于各类药贴托的生产。适用于个体、中医门诊、医院等小批量生产。

## Overview:

GSPH-DZ30 Small automatic plaster machine is composed of black plaster automatic drip machine and black plaster forming machine. The machine is used to produce all kinds of black plaster (lead paste), rosin plaster and hot melt adhesive plaster, and can be used in the production of all kinds of plaster holders. It is suitable for small batch production of individual, TCM clinic and hospital.



## | 技术参数

### Technical parameter

设备名称 Product name	小型自动膏药机 Small automatic plaster machine
规格型号 Type	GSPH-DZ30
外形尺寸 Size	700mm*748mm*1320mm
基质类型 Matrix type	黑膏药、热熔胶、松香膏药 Black plaster, hot melt adhesive, rosin plaster
基材类型 Substrate type	复合棉布、无纺布、PU防水膜、仿皮布 Composite cotton cloth, non-woven fabric, PU waterproof membrane, imitation leather cloth
药贴形状 Patch shape	任意形状 Any shape
基材最大宽度 Maximum width of base material	240mm
滴注速度 Drip speed	5g/s
滴注精度 Drip precision	±0.2g
操作方式 Operation mode	自动、手动 Automatic, manual
控制系统 Control system	PLC+触摸屏 PLC + touch screen
温度控制 Temperature control	智能 PID 控制 Intelligent PID
生产效率 Production efficiency	3500-5500 贴/天 Film/Sky
工作电压 Working voltage	AC220V
额定功率 Rated power	2Kw
工作气压 Working pressure	0.6mpa
设备重量 Weight	≈60KG

## | 设备特点

### Equipment features

- 1、设备尺寸小，占地面积小，价格实惠，投资小；
- 2、生产电源为220V，可家用，安全方便
- 3、高精度数字称重系统，药重可设定在0.5-280克一贴
- 4、熬制锅不锈钢采用进口不锈钢，锅内压力实时监控，保证安全，锅底有搅拌装置保证膏药熬制均匀，容积30L
- 5、采用电磁加热方式加热，替代了传统加热盘加热方式
- 6、高清人机界面，参数明朗显示
- 7、可更换各种形状模具（圆形、方形、异形模具等）
- 8、一人操作日产量 3500-5500 贴

1. Small equipment size, small floor area, affordable price, small investment;
2. The production power supply is 220 V, which can be used at home, safe and convenient
3. High precision digital weighing system, the drug weight can be set at 0.5-280 g per patch
4. Imported stainless steel is used in the pot. The pressure in the pot is monitored in real time to ensure safety. There is a stirring device at the bottom of the pot to ensure the paste is boiled evenly with a volume of 30L
5. The electromagnetic heating method is adopted to replace the traditional heating plate heating method
6. High definition man-machine interface, clear display of parameters
7. It can replace all kinds of molds (round, square, special-shaped molds, etc.)
8. The daily output of one person operation is 3500-5500 stickers



适合各种膏药  
Various plasters



304不锈钢  
304 steel



生产效率高  
Efficient production



高清人机界面  
Operation interface



适用各种模具  
Various molds



温度检测  
Temperature detection



恒定加热  
Constant heating



精准称重  
Accurate weighing

## | 操作方法

Operation method



**操作简单 生产高效**

Operation is simple & Efficient production

## | 成品展示

Product display

